

F-650/F-750 Change Summary

2008 Model vs. 2007 Model

Option Description	2008	2007
New 14K Front Axle and 14K Parabolic Front Springs (F-750). 295/80R22.5H Tires and 8.25 10-Hole Wheels Also Required for 14K.	Yes	No
New Air Brake Compressor - Cummins - Caterpillar	18.7 CFM 16.1 CFM	15.2 CFM 13.2 CFM
New Cummins 6.7L ISB 200 HP Diesel Standard Engine in F-650/F-750. (7) Optional Horsepower and Torque Ratings Available up to 325 HP and 750 Lbs.-Ft. Torque.	Cummins 6.7L ISB	Cummins 5.9L ISB
Caterpillar C7 7.2L Horsepower and Torque Ratings Revised for 2008. Total of (10) Power Rating Selections Now Available.	Yes	No
Allison 2000 and 3000 Series Automatic Transmission Availability Expanded.	Yes	No
Exhaust Brake Option Available for Cummins and Caterpillar Engines.	Yes	No
(4) New, Larger Radiators Available To Support Higher Engine Horsepower and Torque Ratings. -(2) Cummins -(2) Caterpillar	Yes Yes	No No
New Standard 130-amp Alternator. 110-amp, 200-amp and 270-amp Optional. 100-amp discontinued.	Yes	No
F-650 PL Available with 13.5K and 15.5K Rear Axles Replacing Previously Available 13.5K and 15.5K models.	Yes	No
New, larger 11Rx22.5H Hankook Tires Standard (Replacing 10R22.5G) On All F-650/F-750 (Except F-650 PL). Hankook also Available In Optional Sizes. Goodyear and Michelin Remain Optional.	Yes	No
New Driver and Passenger Gramag Air Seats for Use With Hydraulic and Air Braked Models.	Yes	No
New Mortar Cloth With Marta Cloth Insert Seat Fabric Design	"Mortar Cloth w/Marta Insert"	"Mortar Cloth w/Brick Insert"
New Stemco Discover Mineral Oil Front and Rear Wheel Seals Are Now Standard On All Models.	Yes	No



Ford Division
Commercial Truck Sales & Marketing


Information for this publication was correct at the time at which the material was being prepared for printing. Specifications and availability shown are subject to change without notice and Ford Motor Company assumes no liability for such changes.

New Exhaust Brakes For Caterpillar and Cummins

New Mortar Cloth With Marta Cloth Insert Seat Fabric Design

New Driver and Passenger Gramag Air Seats (Air and Hydraulic Brakes)

New. Larger Air Brake Compressors - Cummins and Caterpillar



New Standard 130-amp Alternator (110, 200 and 270-amp Optional)

New Larger Radiators

New Delco-Remy Starter Motors

New 14K Front Axle and 14K Parabolic Front Springs On F-750

New Cummins 6.7L ISL Caterpillar 7.2L Engine Rating

NEW 2008 F-650/F-750

Driver and
Passenger
Bag Air Seats
(and Hydraulic
Brakes)

2000 and 3000 Series
Allison Automatic
Transmission
Availability

New Clean CA
Packages
Now Available

New, larger
11R22.5H Hankook
Tires Are Now
Standard (Except
F-650 PL)

14K Front
Leaf and 14K
Torsion Front
Springs On
F-750

New Cummins
6.7L ISB and
Caterpillar C7
7.2L Engine
Ratings

New Exhaust
Aftertreatment
Systems

New 13.5K
and 15.5K
Rear Axles
On F-650 PL

New Standard
Stemco Discover
Mineral Oil
Front and Rear
Wheel Seals

